



SU860076 Supelco

Assembled screw cap with hole with PTFE/silicone septum

black polypropylene hole cap, thread 8-425, PTFE/silicone (red PTFE/white silicone), septum thickness 1.3 mm, for use with 2 mL vial (standard opening), pkg of 100 ea



FDS

Similar Products

Conditionnement - SKUDisponibilité

Prix (GBP) Quantité

SU860076

Disponible pour expédition le 07.06.19 - A PARTIR DE

22.70

0

Bulk orders?

AJOUTER AU PANIER

Product Recommendations



854171

Vials, screw top, clear glass, 1.5 mL

volume 1.5 mL, clear glass vial (with marking spot), O.D. x H x I.D. 11.6 mm x 32 mm x 4.6 mm, pkg of



854985

Assembled screw cap with hole with PTFE/silicone septum

black polypropylene hole cap, thread 8-425, PTFE/silicone (red



854172

Vials, screw top, amber glass, 1.5 mL, 8-425 thread

graduated, marking spot, O.D. x H x I.D. 11.6 mm x 32 mm x 4.6 mm, pkg of 100 ea

Properties

Related Categories	Analytical/Chromatography, Assembled Caps and Septa, Autosampler Vials, Storage Kits and Accessories, Caps for 1.5-2 mL Standard Opening Vials, 8/425 thread, Caps, Crimp Seals and Stoppers, Plus...
material	PTFE/silicone (red PTFE/white silicone) black polypropylene hole cap
feature	closure type black polypropylene hole cap
hardness	45 (Durometer: shore A)
packaging	pkg of 100 ea
septum thickness	1.3 mm
fitting	thread 8-425 montrer plus (9)

Description

Application
Assembled screw cap with hole and PTFE/silicone septum may be used to minimise the risk of explosion of diazomethane, during preparation of diazomethane for gas chromatographic analysis.^[1] It was also used to seal off the heat treated samples, during determination of sugar-amino acid reaction mechanisms using an automated solid-phase microextraction-gas chromatography-mass selective detection (AutoSPME-GC-MSD) approach.^[2]

Safety Information

Safety Information for this product is unavailable at this time.

Documents

Certificat d'Analyse

Enter Lot No.

Devis/ Commande de produits Bulk

FDS

Customers Also Viewed



27262

Assembled screw cap with hole with PTFE/silicone septum

black polypropylene hole cap, thread 8-425, PTFE/silicone, septum thickness 1.5 mm, for use



27261U

Assembled screw cap with hole with PTFE/silicone septum

black polypropylene hole cap, thread 8-425, PTFE/silicone, Top Hat (septa and closure



SU860091

Assembled screw cap with hole and TFE/rubber septum

black polypropylene hole cap, thread 8-425, PTFE/rubber septum, for use with 11.6 × 32mm vial



854984

Assembled screw cap with hole and TFE/rubber septum

black polypropylene hole cap, thread 8-425, PTFE/rubber septum, for use with 11.6 × 32 mm vial



CB_000411

Assembled screw cap with hole with PTFE/silicone septum

black phenolic, PTFE/silicone, septum thickness 1.5 mm, thread 8-425, pkg of 1 × 100 ea

Recently Viewed



52604U

Discovery® DSC-18 SPE Tube

bed wt. 500 mg, volume 6 mL, pk of 30



52654U

Discovery® DSC-Si SPE Tube

bed wt. 500 mg, volume 3 mL, pk of 54



27003

Vials, screw top with solid green Thermoset cap with PTFE liner, preassembled, pkg of 100

volume 15 mL, amber glass vial, O.D. × H



57299U

SPME fiber assembly Di vinylbenzene/Carboxen/ Polydimethylsiloxane (D VB/CAR/PDMS)

needle size 23 ga, StableFlex, for use with manual



SU860083

Vials, screw top, amber glass, 1.5 mL, 8-425 thread

O.D. × H × I.D. 11.6 mm × 32 mm × 4.6 mm, pkg of 100 ea

Protocols & Articles

Peer-Reviewed Papers

[Did you use this product in your Paper? If so click here.](#)

Diazomethane preparation for gas chromatographic analysis. Glastrup J. Journal of Chromatography A 827 (1), 133-136. (1998)

An Automated Solid-Phase Microextraction-Gas Chromatography-Mass Selective Detection Approach for the Determination of Sugar-Amino Acid Reaction Mechanisms. Coleman WM and Lawson SN. Journal of Chromatographic Science 37 (10), 383-387. (1999)

Related Products

Related Product

Product #	Description	Add to Cart
854171	Vials, screw top, clear glass, 1.5 mL, volume 1.5 mL, clear glass vial (with marking spot), O.D. × H × I.D. 11.6 mm × 32 mm × 4.6 mm, pkg of 100 ea	prix
854172	Vials, screw top, amber glass, 1.5 mL, 8-425 thread, graduated, marking spot, O.D. × H × I.D. 11.6 mm × 32 mm × 4.6 mm, pkg of 100 ea	prix

