

**Corning Incorporated
Life Sciences**

Registered
ISO 9001:2008

Product Description

Catalog Number: 42592

Product Description: Costar® 1 x 8 Stripwell™, high binding EIA/RIA plate, flat bottom, without lid

Component Materials:

- | | | |
|--------|---|--|
| Strips | - | Virgin Polystyrene, meets <i>USP, Class VI</i> requirements for plastic containers and closures. |
| Holder | - | Polystyrene, Heavy metal free (meets <i>CONEG</i> req.) color concentrate. |

Product Dimensions:

Length of Plate	-	5.025 in.	Diameter of Well @ top	-	.270 in.
Width of Plate	-	3.370 in.	Diameter of Well @ bottom	-	.250 in.
Depth of Well	-	.420 in.	Height	-	.560 in.
Tolerances of Dimensions	-	+/- .010 in.	Working Volume per well	-	.36 mL

Surface Characterization:

Surface is characterized to be high binding for EIA/RIA tests. Binding capacity is approximately 500 ng IgG/cm². This lot has been gamma irradiated at a specific dose range that has been validated to render the surface high binding for proteins.

Optical Characteristics:

The product is made of clear polystyrene to allow background absorbance to be $\pm .005$ optical density units from the mean.

Binding Characteristics:

Each lot has been tested for the attribute of well to well protein binding utilizing a modified ELISA to measure precision and percent low and high wells from the mean. Coefficient of variation must be $\leq 3\%$ and high and low wells $\leq 8\%$ from the mean. Product has a Costar Certified Surface Chemistry.

Performance Testing:

Each manufacturing lot is sampled and tested in accordance with Standard Operating Procedures.

- | | |
|--------------------|--|
| Visual Attributes: | Visual and microscopic examination of the product. |
| Packaging: | Inspection for accurate labeling, and correct product configuration. |
| Functional: | Tested for protein binding precision. |

Lot Number Designation:

8 Digit Lot Number: First 3 digits - Julian date, start of manufacturing; Next 2 digits - Year of manufacture; Last 3 digits - Batch identification.

Rev No: 2