


Treff Tube EasyFit 0.5 ml

Order number 96.04625.9.01

General Characteristics

Treff Micro Centrifuge Tubes EasyFit 0.5 ml, PP, have been primarily developed to serve as *sample preparation, centrifuge, assay and storage vessel*. All tubes and caps are made of virgin polypropylene, are Clean Room Pure™ and provide frosted labelling areas, volume graduation and excellent physical and microbiological properties.



Major Quality Characteristics of Treff Tube EasyFit

- **Gentle cap opening force** for easy sample preparation work
- 100% virgin polymer only, clean room class 8 production
- Free of DNase/RNase, human DNA, PCR inhibitors, endotoxins, ATP
- Autoclavable at 121°C and freezable to -190°C
- Max g-force (rcf) 30'000 x g
- Extended cap lips for easy manual opening
- Easy-to-read tube graduation of 0.2 and 0.5 ml
- Ready to Use: Clean Room Pure™

Physical Properties

Temperature range: Treff Tube EasyFit withstands a temperature range from gas phase of liquid nitrogen to autoclaving (121°C, 20 minutes, 100% humidity) according to DIN EN 285.

Centrifuge forces: Treff Tube EasyFit withstands forces up to 30'000 x g

Test parameters: Tubes filled with 90% of indicated volume: 20% Glycerol or 70% Ethanol, or 150mM NaCl in H₂O. Incubation of filled tubes took place between -70°C and 20°C. Centrifugation was done at 4°C and 20°C for 10min up to 30.000g with a fixed angle rotor.

Quality analysis: Automatic 3D control of potential micro fissures occurrence within tube wall.




Treff

Plastics Technology 

Technical Drawing

Treff Tube EasyFit 0.5 ml

Order number 96.04625.9.01



Dimensions : Millimeters