

CORNING

Coming Life Sciences
836 North Street
Building 300, Suite 3401
Tewksbury, MA 01876

18 January 2016

To Whom it May Concern:

A Safety Data Sheet (SDS) is not required for the following products as they have been evaluated and are not hazardous substances or mixtures according to the OSHA Hazard Communication Standard 29 CFR 1910.1200, and REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

354480	Corning® BioCoat™ Matrigel® Invasion Chambers with 8.0µm PET Membrane in two 24 Well Plates, 24/Pack, 24/Case
354481	Corning® BioCoat™ Matrigel® Invasion Chamber with 8.0µm PET Membrane in four 6 Well Plates, 24/Pack, 24/Case
354483	Corning® BioCoat™ Growth Factor Reduced Matrigel Invasion Chamber with 8.0µm PET Membrane in two 24 W Plts, 24/Pk, 24/Cs

Accordingly, an SDS is not provided.

Regards,



Dorothy Steimel-Crespi, Ph.D.
Division Product Stewardship Lead
Corning Life Sciences
836 North Street
Building 300, Suite 3401
Tewksbury, MA 01876