


PDS No. 675801	PRODUCT DATA SHEET	Page 1 of 1
Revision 04	96 Well Microplate, UV-Star®, Half Area	 greiner bio-one
	Item-No. 675801	

1.	Description / Specification	
1.1	Description	UV-Star® Microplate, 96 well, half area well profile, clear film F-bottom (flat), alphanumeric well coding
1.2	Dimensions	See customer drawing Foil: 135 µm (± 10 µm)
1.3	Volume	Total volume: 199 µl (mathematically calculated) Working volume: 15 - 175 µl
1.4	Material / Resin	Plate and foil: Cycloolefine, free of heavy metal
1.5	Colour	Clear
1.6	Sterilization	No
1.7	Quality Control	- Raw Material-Control: physical testing - <u>Product-Control</u> : testing of attributive and variable characteristics in accordance with the valid specification
1.8	Other Information	For single use only

2.	Features	
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens.
2.2	Temperature range	-80°C to +40°C
2.3	Autoclavability	No
2.4	Centrifugation, max. RCF	4800 x g: swinging-bucket rotor
2.5	Chemical Resistance	See homepage: https://www.gbo.com/en_INT/know-how-services/download-center.html
2.6	Shelf life	N/A
2.7	Other Information	-

3.	Packaging	
3.1	Pieces / Bag	10
3.2	Pieces / Box	40
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information	
	-	

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this document or drawing is confidential and proprietary to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.
Revision 03	Date 1 December 2014	Date 2 December 2014	Date 2 December 2014	
Date 15.12.2009	Name S. Kaelberer	Name Dr. R. Heller	Name A. Schulz	

DISCLAIMER: The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.