

CORNING

Corning Life Sciences
836 North Street
Building 300, Suite 3401
Tewksbury, MA 01876

03-SEP-2014

To Whom it May Concern:

A Safety Data Sheet (SDS) is not required for all catalog numbers beginning with the following prefix as they have been evaluated and are not a hazardous substance or mixture according to the OSHA Hazard Communication Standard 29 CFR 1910.1200, and REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

25-051	Trypsin EDTA 1x 0.05% Trypsin/0.53 mM EDTA in HBSS without calcium and magnesium, Porcine Parvovirus tested
--------	---

Accordingly, an SDS is not provided.

Regards,



Dorothy Steimel-Crespi, Ph.D.
Division Product Stewardship Lead
Corning Life Sciences
836 North Street
Building 300, Suite 3401
Tewksbury, MA 01876



Jason Jens
Plant Quality Manager
Mediatech, a Corning Subsidiary
9345 Discovery Boulevard
Manassas, VA 20109