





stuart®

Hot Plates, Stirrers, and Stirring Hot Plates

Step1: Select type & interface (hot plate, stirrer, stirring hot plate)

Analog Interface*
with LED display for temperature and stirring



Digital Interface*
with constant digital temperature display




Premium Interface
with TFT display for temperature and stirring speed



*Analog and digital models only available in white, black, or blue


Step2: Select plate surface



Ceramic-coated aluminum




Ceramic



Step3: Select body color





Black trim on
analog and digital interfaces



Chrome trim on
premium interface

*Analog and digital models only available in white, black, or blue



Technical Specifications

Parameter	Analog	Digital	Premium
Types	Hot plate, stirrer, or stirring hot plate		
Plate material	Ceramic-coated aluminum or glass ceramic		
Plate dimensions	6" x 6" (150 x 150 mm)		
Display	Analog LED temperature and speed arrays	Digital 7-segment temperature display and LED array speed display	Full-color TFT temperature and speed display
Hot-warming	Mains-independent hot warming light		
Connection for external temp sensor	Digital temperature controller*	Digital temperature controller*	PT100 temperature sensor
Programmable	No	No	Programmable, with built-in timer
Color options	White, black, or blue	White, black, or blue	White, black, blue, pink, avocado, tangerine, red, or violet
Heated area	6" x 6" (150 x 150 mm) aluminum; 4 3/4" x 4 3/4" (120 x 120 mm) ceramic		
Heater power	700 W aluminum; 500 W ceramic		
Max plate temperature	325°C aluminum, 450°C ceramic		
Stirrer speed	50 to 1400 rpm metal; 50 to 1250 rpm ceramic		50 to 2000 rpm
Maximum stirring capacity	15 L		
Dimensions (W x H x D)	7" x 3 1/2" x 11 1/2" (18 x 9.3 x 30 cm)		
Electrical supply	115/230 VAC, 50/60 Hz stirrers; 120 VAC or 230 VAC, 50/60 Hz hot plates and stirring hot plates		

*sold separately

ColeParmer.com

USA:

1-800-323-4340

1-847-549-7600

Canada: 1-800-363-5900

China: +86-21-5109-9909

France: +33 (0) 1496 37800

Germany: +49 (0) 9377 92030

India: 1-800-266-1244

Italy: +39 (0) 1313 89513

UK: +44 (0) 1480 272279

All other countries: 1-847-549-7600

