




# ImmPRESS® HRP Horse Anti-Goat IgG Polymer Detection Kit, Peroxidase

**MP-7405** 

**Product Images** 







### **Short Description**

The ImmPRESS polymerized reporter enzyme staining system uses novel conjugation and micropolymer chemistries to create a highly sensitive, ready-to-use, one-step detection system. This unique micropolymer of highly active enzyme is attached to our affinity purified secondary antibodies, producing reagents with outstanding sensitivity and low background.

#### **Features:**

- Enhanced staining of nuclear and membrane antigens
- Ready-to-use in a convenient dropper bottle
- Shorter assay time
- Simplified multiple labeling
- Suitable for use with goat, sheep, and bovine IgG primary antibodies

#### **Kit Contents:**

- ImmPRESS (Peroxidase) Polymer Anti-Goat IgG Reagent (made in horse, ready-to-use)
- 2.5% Normal Horse Serum for blocking (ready-to-use)

The ImmPRESS (15 ml) Kit will stain approximately 75-150 sections and the ImmPRESS (50 ml) Kit will stain approximately 250-500 sections.

#### **Additional Information**

ml, 50 ml
nunohistochemistry / Immunocytochemistry, In situ oridization, ELISAs
ropolymer Reagents
oxidase
ropolymer HRP
at
dy-to-Use

### ImmPRESS® HRP Horse Anti-Goat IgG Polymer Detection Kit, Peroxidase

#### **Features:**

- High sensitivity
- Low background
- Non-biotin
- Micropolymer technology
- Enhanced staining of nuclear and membrane antigens
- One-step detection
- Ready-to-use in a convenient dropper bottle
- Shorter assay time
- · Simplified multiple labeling
- Suitable for use with goat, sheep, and bovine IgG primary antibodies

The ImmPRESS (15 ml) Kit will stain approximately 75-150 sections and the ImmPRESS (50 ml) Kit will stain approximately 250-500 sections.

## ImmPRESS® HRP Horse Anti-Goat IgG Polymer Detection Kit, Peroxidase

#### **Features:**

- High sensitivity
- Low background
- Non-biotin
- Micropolymer technology
- Enhanced staining of nuclear and membrane antigens
- One-step detection
- Ready-to-use in a convenient dropper bottle
- Shorter assay time
- Simplified multiple labeling
- Suitable for use with goat, sheep, and bovine IgG primary antibodies

The ImmPRESS (15 ml) Kit will stain approximately 75-150 sections and the ImmPRESS (50 ml) Kit will stain approximately 250-500 sections.

