

|                               |       |            |               |                  |                       |                |              |  |                                                                                     |
|-------------------------------|-------|------------|---------------|------------------|-----------------------|----------------|--------------|--|-------------------------------------------------------------------------------------|
| ID                            | KF008 | Valid from | 01.03.2020    | Replaces ID/Rev. | KF008-06 / 01.07.2017 |                | Invalid from |  |  |
| Revision                      | 07    | Author     | Dr. Elke Heck | 11.12.2019       | Approved by/on        | Michael Wiehle | 18.12.2019   |  |                                                                                     |
| Certificate of Analysis (CoA) |       |            |               |                  |                       |                |              |  |                                                                                     |

Product: **Toxocara canis IgG**

Prod.No.: **TOCG0450**

Lot: **TOCG-084**

Expiry: **2024-03-31**

| Component               | Number | Lot         | Prod. Date | Expiry Date |
|-------------------------|--------|-------------|------------|-------------|
| <b>MTP</b>              | 1      | MG0450- 084 | 2022-09    | 2024-03-31  |
| <b>CONJ</b>             | 1      | KG0450- 084 | 2022-09    | 2024-03-31  |
| <b>CONTROL   +</b>      | 1      | PG0450- 084 | 2022-09    | 2024-03-31  |
| <b>CONTROL   -</b>      | 1      | NG0450- 084 | 2022-09    | 2024-03-31  |
| <b>CUT OFF</b>          | 1      | CG0450- 084 | 2022-09    | 2024-03-31  |
| <b>WASH   BUF   20x</b> | 1      | W- 1042     | 2022-09    | 2024-09-30  |
| <b>SOLN   STOP</b>      | 1      | S- 973      | 2022-08    | 2024-08-31  |
| <b>SUB   TMB</b>        | 1      | T- 071      | 2021-03    | 2025-03-31  |
| <b>DIL   G</b>          | 1      | DG- 469     | 2022-06    | 2024-06-30  |

| Component          | OD    | OD Validation Criteria |
|--------------------|-------|------------------------|
| <b>CONTROL   -</b> | 0,000 | < 0,200 < Cut-off      |
| <b>CUT OFF</b>     | 0,496 | 0,150 – 1,300          |
| <b>CONTROL   +</b> | 1,286 | > Cut-off              |

Final report issued: 28.09.2022

Approved by: 28.09.2022

Date

Head of Quality Control

