





(ST4040) M43 10ML



REMARKS:
Output: 10 ± 1.50ML

16	Dip tube	TR404/017/02	1	LDPE		21.177.1520
15	Pump housing	TR404/001	1	PP/RE420M0	14.08g	21.177.1520
14	Gasket	TR404/018	1	PE	0.33g	21.177.1350 21.177.1520 21.178.3297
13	Ball valve	TR404/015		SUS304	0.9g	21.178.3910
12	Spring base	TR404/003	1	HDPE/5306J	1.68g	21.177.1520
11	Spring	TR404/021	1	SUS201	6.4g	21.178.3910
10	Piston	TR404/002	1	PP/RE420M0	6.42g	21.177.1520
9	Component loop	TR404/004	1	HDPE/5306J	1.14	21.177.1520
8	Component loop	TR404/004	1	HDPE/5306J	1.14	21.177.1520
7	Component loop	TR404/005	1	HDPE/5306J	0.45	21.177.1520
6	Closure	TR404/011	1	HDPE/5306J	6.01g	21.177.1520
5	Seal cover	TR404/007	1	PP/HKRI02	1.23g	21.177.1520
4	Small closure	TR404/006	1	PP/HKRI02	3.32g	21.177.1520
3	Ball valve	TR404/016	1	SUS304	0.50g	21.178.3910
2	Nozzle	TR404/010	1	PP/RE420M0	4.60g	21.177.1520
1	Actuator	TR404/008	1	PP/RE420M0	5.80g	21.177.1520
序号/NO	名称/NAME	图号/DRAWING NO	数量/QT Y	材料/MATERIAL	重量/WEIGHT	备注/REMARKS
设计/Design: 鲁科科 2017.04.02						
尺寸划分/尺寸/公差/精度/审核/批准/Approval:						
1-4	±0.5	±0.10	±0.05	±0.05	±0.05	±0.05
4-16	±0.07	±0.20	±0.10	±0.10	±0.10	±0.10
16-63	±0.10	±0.30	±0.10	±0.10	±0.10	±0.10
63-250	±0.20	±0.50	±0.20	±0.20	±0.20	±0.20
250-1000	±0.30	±0.80	±0.30	±0.30	±0.30	±0.30
数量/Qt y:						
图号/DRAWING NO. ST4040/M43 ASSM						
系列号/PART NO. ST4040						
SHEET: 1/1						

TR404 CORROSION

CEI-16 Far East Industry Park, Yuzuo, Zhejiang Province, (315400)

Fax: +86(0)574 62760889 Tel: +86(0)574 62760888

SCALE: REV: A

Change in drawing is determined by our company without further notice

8

7

6


5

4

3

2

1




Change in drawing is determined by our company without further notice

REVISION RECORD							
REV	DESCRIPTION		DESIGN				

设计/Design: 郭胜 06.09.04		审核/Examine:		批准/Approval:		材料/Material: HDPE/5306J		重量/Weight: 1.68g		数量/Qt'y:	
1-4		±0.05 ±0.10 ±0.20		4-16		±0.07 ±0.20 ±0.50		16-63		±0.10 ±0.30 ±0.70	
63-250		±0.20 ±0.50 ±1.20		250-1000		±0.30 ±0.80 ±2.00					

图号/DRAWING NO. TR404/003		系列号/PART NO. TR404		SCALE:		REV: A		SIZE: A4		SHEET: 1/1	
--------------------------	--	--------------------	--	--------	--	--------	--	----------	--	------------	--



Change in drawing is determined by our company without further notice

MM (INCH) 等级				设计/Design: 郭胜 06.09.04		特力工貿 TIRRIT CORPORATION Fax: +86 (574) 62760899 Tel: +86 (574) 62760888 PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China	
尺寸划分MM		细级	中级	粗级	审核/Examine:	Component loop	
1-4		±0.05	±0.10	±0.20	批准/Approval:		
4-16		±0.07	±0.20	±0.50	材料/Material: HDPE/5306J	SCALE:	
16-63		±0.10	±0.30	±0.70	重量/Weight: 1.14g	REV: A	
63-250		±0.20	±0.50	±1.20	数量/Qty:	图号/DRAWING NO. TR404/004	
250-1000		±0.30	±0.80	±2.00		系列号/PART NO. TR404	
						SIZE: A4	
						SHEET: 1/1	

6

5


4

3

2

1

A










Change in drawing is determined by our company without further notice

MM (INCH) 等级 细级 中级 粗级 尺寸划分MM		设计/Design: 郭胜 06.09.04		TIRRIT CORPORATION Fax: +86 (574) 62760899 Tel: +86 (574) 62760888 PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China	
		审核/Examine:		Component loop	
		批准/Approval:			
		材料/Material: HDPE/5306J		图号/DRAWING NO. TR404/005	
		重量/Weight: 0.45g		系列号/PART NO. TR404	
		数量/Qt' y: 1		SHEET: 1/1	

6 | 5 | 4 | 3 | 2 | 1

REVISION RECORD			
REV	DESCRIPTION	DESIGN	
1	Product revision	1	Product revision
2	Product revision	2	Product revision



Change in drawing is determined by our company without further notice

尺寸/划分	等级	公差	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.
1-4	1-4	± 0.05	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.
4-16	4-16	± 0.07	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.
16-63	16-63	± 0.10	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.
63-250	63-250	± 0.20	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.
250-1000	250-1000	± 0.30	设计/Design	审核/Examine	批准/Approval	材料/Material	重量/Weight	数量/Qty	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.	图号/DRAWING NO.	系列号/PART NO.

TRIKIT CORPORATION
 TEL: +86 (574) 6270888
 FAX: +86 (574) 6270889
 CEN-15, Far East Industry Park, Yuyao, Zhejiang Province, (315400)

Small closure


SCALE:

REV: A

SIZE: A3

SHEET: 1/1

REVISION RECORD		
REV	DESCRIPTION	DESIGN



Change in drawing is determined by our company without further notice

设计/Design: 郭胜 06.09.04				TIRIT CORPORATION	
审核/Examine:				Fax: +86 (574) 62760899 Tel: +86 (574) 62760888	
批准/Approval:				PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China	
材料/Material: PP/HKR102				Seal cover	
重量/Weight: 1.23g				SCALE:	
数量/Qty: 1				REV: A	
图号/DRAWING NO. TR404/007				SIZE: A4	
系列号/PART NO. TR404				SHEET: 1/1	

6


5

4

3

2

1









Change in drawing is determined by our company without further notice

mm (INCH)		等级 细级 中级 粗级		设计/Design: 郭胜 06.09.04		特力工贸 TIRRIT CORPORATION Fax: +86 (574) 62760899 Tel: +86 (574) 62760888 PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China	
尺寸划分MM				审核/Examine:		Actuator	
1-4		±0.05 ±0.10 ±0.20		批准/Approval:			
4-16		±0.07 ±0.20 ±0.50		材料/Material: PP/RE420M0		REV: A	
16-63		±0.10 ±0.30 ±0.70		重量/Weight: 5.80g		图号/DRAWING NO. TR404/008	
63-250		±0.20 ±0.50 ±1.20		数量/Qt' y: 1		系列号/PART NO. TR404	
250-1000		±0.30 ±0.80 ±2.00				SCALE:	
						SIZE: A4	
						SHEET: 1/1	

6 | 5 | 4 | 3 | 2 | 1

REVISION RECORD	
REV	DESCRIPTION



Change in drawing is determined by our company without further notice

尺寸/划分		设计/Design: 郭胜 06.09.04		图号/DRAWING NO. TR404/010		系列号/PART NO. TR404		SHEET: 1/1	
尺寸	划分	设计	审核/Examine:	图号	系列号	图号	系列号	图号	系列号
1-4	±0.05	±0.10	±0.10	批准/Approval:	材料/Material: PP/RE420M0	重量/Weight: 4.6g	数量/Qty: 1	图号	系列号
4-16	±0.07	±0.20	±0.50						
16-63	±0.10	±0.30	±0.70						
63-250	±0.20	±0.50	±1.20						
250-1000	±0.30	±0.80	±2.00						

TIANRIT CORPORATION	
CEI-15, Far East Industry Park, Yuyao, Zhejiang Province, (315400)	Fax: +86 (574) 62760899 Tel: +86 (574) 62760888

Nozzle








SCALE:

REV: A

SIZE: A4

SHEET: 1/1

REVISION RECORD		
REV	DESCRIPTION	DATE



A 2:1

尺寸/单位		公差		设计/Design: 郭胜 06.09.04		审核/Examine:		批准/Approval:		材料/Material: HDPE/5306J		重量/Weight: 6.01g		图号/DRAWING NO. TR104/011		系列号/PART NO. TR104		SCALE:		REV: A		SIZE: A4		SHEET: 1/1	
1-4	±0.05	±0.10	±0.05	1-4	±0.05	±0.10	±0.05	1-4	±0.05	±0.10	±0.05	1-4	±0.05	±0.10	±0.05	1-4	±0.05	±0.10	±0.05	1-4	±0.05	±0.10	±0.05	1-4	±0.05
4-16	±0.07	±0.20	±0.07	4-16	±0.07	±0.20	±0.07	4-16	±0.07	±0.20	±0.07	4-16	±0.07	±0.20	±0.07	4-16	±0.07	±0.20	±0.07	4-16	±0.07	±0.20	±0.07	4-16	±0.07
16-63	±0.10	±0.30	±0.10	16-63	±0.10	±0.30	±0.10	16-63	±0.10	±0.30	±0.10	16-63	±0.10	±0.30	±0.10	16-63	±0.10	±0.30	±0.10	16-63	±0.10	±0.30	±0.10	16-63	±0.10
63-250	±0.20	±0.50	±0.20	63-250	±0.20	±0.50	±0.20	63-250	±0.20	±0.50	±0.20	63-250	±0.20	±0.50	±0.20	63-250	±0.20	±0.50	±0.20	63-250	±0.20	±0.50	±0.20	63-250	±0.20
250-1000	±0.30	±0.80	±0.30	250-1000	±0.30	±0.80	±0.30	250-1000	±0.30	±0.80	±0.30	250-1000	±0.30	±0.80	±0.30	250-1000	±0.30	±0.80	±0.30	250-1000	±0.30	±0.80	±0.30	250-1000	±0.30

TRITTY CORPORATION
FAX: +86(571) 82760899 Tel: +86(571) 82760888
CET-15 Far East Industry Park, Yuxian, Zhejiang Province, (315100)

Closure

Change in drawing is determined by our company without further notice

8

7

6


5

4

3

2


1



REVISION RECORD		
REV	DESCRIPTION	DESIGN

Change in drawing is determined by our company without further notice

 精力士 TIRIT CORPORATION		Fax: +86 (574) 62760899 Tel: +86 (574) 62760888	
PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China			
设计/Design: 郭胜 06.09.04		审核/Examine:	
批准/Approval:		材料/Material: SUS304	
重量/Weight: 0.9g		图号/DRAWING NO. TR404/015	
数量/Qty: 1		系列号/PART NO. TR404	
		SCALE:	
		REV: A	
		SIZE: A4	
		SHEET: 1/1	



Change in drawing is determined by our company without further notice

MM (INCH)				设计/Design: 郭胜 06.09.04		TIRRIT CORPORATION Fax: +86 (574) 62760899 Tel: +86 (574) 62760888 PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China	
等级		细级	中级	粗级	审核/Examine:	Ball valve	
尺寸划分MM					批准/Approval:		
1-4		±0.05	±0.10	±0.40	材料/Material: SUS304	SCALE:	
4-16		±0.07	±0.20	±0.50	重量/Weight: 0.5g	REV: A	
16-63		±0.10	±0.30	±0.70		图号/DRAWING NO. TR404/016	
63-250		±0.20	±0.50	±1.20		SIZE: A4	
250-1000		±0.30	±0.80	±2.00	数量/Qty: 1	系列号/PART NO. TR404	SHEET: 1/1

6

5


4

3

2

1

A



Change in drawing is determined by our company without further notice

MM (INCH)								设计/Design: 鲁科科2016. 11. 26				 特力工贸				TIRIT CORPORATION			
尺寸划分MM				等级				审核/Examine:				PLANT:CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China							
1-4				±0.05 ±0.10 ±0.20				批准/Approval:				Dip tube							
4-16				±0.07 ±0.20 ±0.50				材料/Material:LDPE											
16-63				±0.10 ±0.30 ±0.70				重量/Weight:				图号/DRAWING NO. TR404/017/02							
63-250				±0.20 ±0.50 ±1.20				数量/Qt'y:1				系列号/PART NO. TR404							
250-1000				±0.30 ±0.80 ±2.00								SCALE:							
												REV: A							
												SIZE: A4							
												SHEET: 1/1							

6

5


4


3

2

1

A





Change in drawing is determined by our company without further notice

MM (INCH) 等级 细级 中级 粗级 尺寸划分MM				设计/Design: 郭胜 06.09.04	TIRRIT CORPORATION Fax: +86 (574) 62760899 Tel: +86 (574) 62760888 PLANT: CE14-15, Far Edst Industry Park, Yuyao, Zhejiang Province, China 精力士 TIRRIT CORPORATION	
				审核/Examine:	Spring	
				批准/Approval:		
				材料/Material: SUS201 1	SCALE:	
				重量/Weight: 6.4g	REV: A	
				数量/Qt'y: 1	SIZE: A4	
					SHEET: 1/1	
					图号/DRAWING NO. TR404/021	
					系列号/PART NO. TR404	

6

5

4

3

2

1

A