



A		B		C		D	
	Rev.	Reference	Date	Description		By	Approved
	A	EC21180	18-08-2022	New article number and description. (Old 08414103 - Connection tube white, luer lock luer lock + tube 3.2x1.6)		AS3	GM2

1




2



3

4



5


Item no.	Drawing No.	Revision	Article No.	Description	Material	QTY.	UOM
1	WB05000555	B	26023001	CPC tube connector right-angled Ø6mm	-	1	pcs.
2	WB60004154-50	A	23023001	Silicone tube 3.2x1.6, white MOQ 25 m	Silicon	450	mm.
3	WB50000751	B	09551102	Luer lock 1250 tube connector, male SS	1.4305 (X8CrNiS18-9)	1	pcs.

Description: **V White 3.2 Ivo**

Material: -	General note:	Status: Released	Article number: 955505	Rev:
Treatment: -		(Inspection dimensions are circled and red)	Drawing number: WB60006889	A
Surface Finish: -		Unless otherwise specified	Third angle proj.	Sheet 1 OF 3
		Unit System: MMGS Dimensions: NEN ISO 129 General Tolerance: NEN ISO 2768 - mK Geometric Tolerance: NEN ISO 1101 Surface Roughness: NEN ISO 4288		Scale: 1:1 A4



This drawing remains exclusive property of Wassenburg and may not be reproduced published or disclosed without permission



Description: **V White 3.2 Ivo**

Material:	-
Treatment:	-
Surface Finish:	-




General note:


Status:	Released
Unless otherwise specified	
Unit System:	MMGS
Dimensions:	NEN ISO 129
General Tolerance:	NEN ISO 2768 - mK
Geometric Tolerance:	NEN ISO 1101
Surface Roughness:	NEN ISO 4288

Article number:	955505
Drawing number:	WB60006889

Rev:	A
------	----------



Sheet 2 OF 3
Scale: 1:2 A4



Description: **V White 3.2 Ivo**

Material:	-
Treatment:	-
Surface Finish:	-




General note:

Status:	Released
(Inspection dimensions are circled and red)	
Unless otherwise specified	
Unit System:	MMGS
Dimensions:	NEN ISO 129
General Tolerance:	NEN ISO 2768 - mK
Geometric Tolerance:	NEN ISO 1101
Surface Roughness:	NEN ISO 4288

Article number:	955505
Drawing number:	WB60006889

Rev:	A
------	----------



Sheet 3 OF 3
Scale: 1:1 A4