

A		B		C		D	
Rev.	Reference	Date	Description			By	Approved
A	EC21180	18-08-2022	New article number and description. (Old 08417102 - Connection tube orange 4.8, luer lock luer lock + tube 4.8)			AS3	GM2

1

2

3

Item no.	Drawing No.	Revision	Article No.	Description	Material	QTY.	UOM
1	WB05000556	C	26015001	CPC tube connector right-angled Ø7,5mm	-	1	pcs.
2	WB15000013-50	E	23025001	Silicone tube 4.8x1.6 Orange MOQ 25 m	Silicon	450	mm.
3	WB50000751	B	09551102	Luer lock 1250 tube connector, male SS	1.4305 (X8CrNiS18-9)	1	pcs.

5

Description: **K Orange 4.8 Ivo**

Material: -

Treatment: -

Surface Finish: -

General note:

Status: **Released**

(Inspection dimensions are circled and red)

Unless otherwise specified

Unit System: MMGS

Dimensions: NEN ISO 129

General Tolerance: NEN ISO 2768 - mK

Geometric Tolerance: NEN ISO 1101

Surface Roughness: NEN ISO 4288

Article number: **955508**

Drawing number: **WB60006893**

Rev: **A**


Third angle proj.

Sheet 1 OF 3

Scale: 1:1

A4

This drawing remains exclusive property of Wassenburg and may not be reproduced published or disclosed without permission



Description: **K Orange 4.8 Ivo**

Material:	-
Treatment:	-
Surface Finish:	-




General note:


Status:	Released
Unless otherwise specified	
Unit System:	MMGS
Dimensions:	NEN ISO 129
General Tolerance:	NEN ISO 2768 - mK
Geometric Tolerance:	NEN ISO 1101
Surface Roughness:	NEN ISO 4288

Article number:	955508
Drawing number:	WB60006893

Rev:	A
------	----------



Sheet 2 OF 3
Scale: 1:2 A4



Description: **K Orange 4.8 Ivo**

Material:	-
Treatment:	-
Surface Finish:	-



General note:

Status: **Released**

(Inspection dimensions are circled and red)
Unless otherwise specified
Unit System: **MMGS**
Dimensions: **NEN ISO 129**
General Tolerance: **NEN ISO 2768 - mK**
Geometric Tolerance: **NEN ISO 1101**
Surface Roughness: **NEN ISO 4288**

Article number:
955508

Drawing number:
WB60006893

Rev:

A

Third angle proj.



Sheet 3 OF 3

Scale: 1.4:1

A4